

**PLEXTURE<sup>®</sup>**

**TRIARCH**  
FINE ARCHITECTURAL FINISHES

Low Profile Texture

**T210**

**PLEXTURE<sup>®</sup>**

# **Material Safety Data Sheet**

**PLEXTURE<sup>®</sup>**  
**MATERIAL SAFETY DATA SHEET**

**Product Name:** PLEXTURE®

**Section I - Manufacturer Identification**

**Manufacture's Name:** Triarch

**Address:** One Energy Way, West Warwick, RI 02893

**Emergency Phone:** (800) 537-6111

**Date Revised:** 2/9/2007

**Information Phone:** (800) 537-6111

**Name of Preparer:** David Lelli

**Section II - Hazardous Ingredients/SARA III Information**

<u>Hazardous Components</u>	<u>CAS #</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>PERCENTAGE</u>
Acrylic Polymer	Not Hazardous			
Silicone Dioxide	14808-60-7	15mg/m3 Respirable		
Titanium Dioxide	13467-67-7	15mg/m3 Respirable		
Ethylene Glycol	000107-21-1			>1 < 2
Ester Alcohol	25265-77-4			<1

*All other ingredients are either Non-Hazardous or have concentrations less than 0.1% and are Non-Hazardous at low concentrations.*

**Section III - Physical/Chemical Characteristics**

**Boiling Point:** 212°F (100°C)

**Vapor Density:** N/A

**Freezing Point:** 32°F (0°C)

**Solubility in Water:** Dilutable

**Appearance and Odor:** Wet, pasty appearance with minimal odor.

**Specific Gravity (H2O = 1) :** >1

**Evaporation Rate:** <1

**Viscosity:** 15000cps@5rpm/spindle D

**pH:** 8-8.5

**Section IV - Fire and Explosion Hazard Data**

**Flash Point:** Non-combustible

**Flammable Limits In Air By Volume:**

**Lower:** N/A

**Upper:** N/A

**Extinguishing Media:** N/A

**Special Firefighting Procedures:** N/A

**Unusual Fire and Explosion Hazards:** N/A

### **Section V - Reactivity Data**

**Stability:** Stable

**Conditions To Avoid:** Strong oxidizing agents (Acids)

**Incompatibility (Materials To Avoid):** N/A

**Hazardous Decomposition Or By Products:** N/A

**Hazardous Polymerization:** Will not occur

### **Section VI - Health Hazard Data**

**Primary Route of Entry:** Ingestion and Inhalation (Lungs)

**Emergency And First Aid Procedures:**

**Eye Contact:** Flush eyes with water. If irritation persists, call a physician.

**Skin Contact:** Procedures normally not needed.

**Inhalation:** Remove to fresh air.

**Medical Conditions Aggravated By Exposure:** Asthmatic conditions may worsen from prolonged and continuous exposure.

### **Section VII - Precautions for Safe Handling and Use**

**Steps To Be Taken In Case Material Is Released Or Spilled:**

**Spills:** Do not let spilled or leaking material enter watercourse. Absorb materials with stable powders of sand.

**Waste Disposal Method:** Place in sealable containers and bury in an approved sanitary land fill.

**Precautions To Be Taken In Handling And Storing:** Keep from freezing. Also, keep from extreme heat for the material may start to settle.

### **Section VIII - Control Measures**

**Respiratory:** When spraying material, wear an approved particulate respirator (NIOSH/MSHA approved or equivalent). Follow manufacturer's directions for respirator use.

**Ventilation:** Open windows and doors or use other means to ensure fresh air entry during application and drying.

**Protective Gloves:** Not normally required. For sensitive skin to due allergic reaction, use NIOSH/MSHA approved or equivalent protective gloves.

**Eye Protection:** NIOSH/MSHA approved or equivalent safety glasses with side shields.

---

Triarch  
P.O. Box 1014  
One Energy Way  
West Warwick, RI 02893  
800-537-6111  
www.triarchinc.com

The information contained herein is based on data available at the time of preparation of this data sheet and which Triarch believes to be reliable. Triarch shall not be responsible for the information, any product method, or apparatus mentioned, and you must make your own determination of its suitability for your own use.



A Division of Dryvit Systems, Inc.